


Lockout-tagout (LO/TO) safety procedures, as defined by Occupational Safety and Health Administration (OSHA), require that lockout devices be durable and standardized. Lockout devices use color, warning labels or tags, and a physical barrier to temporarily prohibit machine operation or power activation, and reduce accidents, during maintenance or repair.

We provide:

- Safety padlock (P series)
- Valve lockout (V series)
- Cable lock (C series)
- Lock station (S series)
- Electric lockout (E series)
- Hasp lock (H series)
- Tagout (T series)
- Lock box ( B series)

Safety padlocks (P series)

safety padlock



Model	Item
His-511	Keyed to Diiffer
His-512	Keyed to Alike
His-513	Master& Differ
His-514	Master& Alike

Description

1. Nylon Body size: 45mm H \* 40mm W \* 20mm T  
6mm diameter hardened chrome-plated steel shackle with 38mm clearance
2. Designed exclusively for safety lockout and tagout application
3. Compact, durable, lightweight, non-conductive nylon body can be resistant of impact, corrosion, chemical, extreme temperatures and UV
4. Special design prevents electric current from conducting from shackle to key
5. Key retaining ensure that padlock is not left unlocked

6. Comes with permanent write-on labels in English
7. 6 pin tumbler cylinder with different key systems-keyed different, alike and master keyed
8. 8 high visible colors (RED, ORJ, YEL,GRN, BLU, BLK, PRP, BRN) are available and can also be customized

long shackle safety padlock



L	H	W	T	E	D
76	45	40	20	20	6
76	45	40	20	20	6
76	45	40	20	20	6
76	45	40	20	20	6

Model	Item
His-521	Keyed to Differ
His-522	Keyed to Alike
His-523	Master & Differ
His-524	Master & Alike

Description

1. Nylon Body size: 45mm H \* 40mm W \* 20mm T  
6mm diameter hardened chrome-plated steel shackle with 76mm clearance
2. Designed exclusively for safety lockout and tagout application
3. Durable, lightweight, non-conductive nylon body can be resistant of impact, corrosion, chemical, extreme temperatures and UV
4. Special design prevents electrical current from shackle to key
5. Key retaining ensure that padlock is not left unlocked

6. Comes with permanent write-on labels in English
7. 6 pin tumbler cylinder with different key systems-keyed different, alike and master keyed
8. 8 high visible colors (RED, ORJ, YEL,GRN, BLU, BLK, PRP, BRN) are available and can also be customized

### Insulation safety padlock




L	H	W	T	E	D	
38	45	40	20	20	6	
38	45	40	20	20	6	
38	45	40	20	20	6	
38	45	40	20	20	6	

Model	Item
His-531	Keyed to Differ
His-532	Keyed to Alike
His-533	Master& Differ
His-534	Master& Alike

#### Description

1. Nylon Body size: 45mm H \* 40mm W \* 20mm T  
6mm diameter nylon shackle with 38mm clearance
2. Designed exclusively for safety lockout and tagout application
3. Compact, durable, lightweight, non-conductive, anti-magnetic and explosion proof nylon body can be resistant of impact, most corrosion, chemical, extreme temperatures and UV
4. Special design prevents electrical current from shackle to key
5. Key retaining ensure that padlock is not left unlocked

6. Comes with permanent write-on labels in English
7. 6 pin tumbler cylinder with different key systems-keyed different, alike and master keyed
8. 8 high visible colors (RED, ORJ, YEL,GRN, BLU, BLK, PRP, BRN) are available and can also be customized



Model	Item
His-531s	Keyed to Differ
His-532s	Keyed to Alike
His-533s	Master& Differ
His-534s	Master& Alike

#### Description

1. Nylon Body size: 45mm H \* 34.5mm W \* 20mm T

6mm diameter nylon shackle with 25mm clearance

2. Designed exclusively for safety lockout and tagout application
3. Compact, durable, lightweight, non-conductive, anti-magnetic and explosion proof nylon body can be resistant of impact, most corrosion, chemical, extreme temperatures and UV
4. Special design prevents electrical current from shackle to key
5. Key retaining ensure that padlock is not left unlocked
6. Comes with permanent write-on labels in English
7. 6 pin tumbler cylinder with different key systems-keyed different, alike and master keyed
8. 8 high visible colors (RED, ORJ, YEL,GRN, BLU, BLK, PRP, BRN) are available and can also be customized

## Brass shackle Padlock



L	H	W	T	E	D
38	45	40	20	20	6
38	45	40	20	20	6
38	45	40	20	20	6
38	45	40	20	20	6

Model	Item	W	H	T	L	E	D
His-541	Keyed to Differ	40	45	20	38	20	6
His-542	Keyed to Alike	40	45	20	38	20	6
His-543	Master& Differ	40	45	20	38	20	6
His-544	Master& Alike	40	45	20	38	20	6

### Description

1. Nylon Body size: 45mm H \* 40mm W \* 20mm T  
6mm diameter industrial grade brass shackle with 38mm clearance
2. Designed exclusively for safety lockout and tagout application
3. Compact, durable, lightweight, non-conductive nylon body can be resistant of impact, most corrosion, chemical, extreme temperatures and UV
4. Special design prevents electrical current from shackle to key
5. Key retaining ensure that padlock is not left unlocked
6. Comes with permanent write-on labels in English
7. 6 pin tumbler cylinder with different key systems-keyed different, alike and master keyed
8. 8 high visible colors (RED, ORJ, YEL,GRN, BLU, BLK, PRP, BRN) are available and can also be customized

## Cable Padlock




Model	Item
His-551	Keyed to Differ
His-552	Keyed to Alike
His-553	Master & Differ
His-554	Master & Alike

### Description

1. Nylon Body size: 45mm H \* 40mm W \* 20mm T  
3mm diameter 18cm length stainless steel shackle with 76mm clearance
2. Designed exclusively for safety lockout and tagout application
3. Compact, durable, lightweight, non-conductive nylon body can be resistant of impact, corrosion, chemical, extreme temperatures and UV
4. Special design prevents electric current from conducting from shackle to key
5. Key retaining ensure that padlock is not left unlocked
6. Comes with permanent write-on labels in English
7. 6 pin tumbler cylinder with different key systems-keyed different, alike and master keyed
8. 8 high visible colors (RED, ORJ, YEL,GRN, BLU, BLK, PRP, BRN) are available and can also be customized

Slim shackle cable padlock (NEW Products)




Model	Item
His-5S51	Keyed to Differ
His-5S52	Keyed to Alike
His-5S53	Master & Differ
His-5S54	Master & Alike

Description

1. Nylon Body size: 45mm H \* 34.5mm W \* 20mm T  
3mm diameter 9cm length stainless steel shackle with 38mm clearance
2. Designed exclusively for safety lockout and tagout application
3. Compact, durable, lightweight, non-conductive nylon body can be resistant of impact, corrosion, chemical, extreme temperatures and UV
4. Special design prevents electric current from conducting from shackle to key
5. Key retaining ensure that padlock is not left unlocked
6. Comes with permanent write-on labels in English
7. 6 pin tumbler cylinder with different key systems-keyed different, alike and master keyed
8. 8 high visible colors (RED, ORJ, YEL,GRN, BLU, BLK, PRP, BRN) are available and can also be customized

## Long Shackle Insulation padlock



Model	Item
His-581	Keyed to differ, long shackle
His-582	Keyed to Alike, long shackle
His-583	Master& Differ, Long shackle
His-584	Master& Alike, Long shackle

### Description

1. Nylon Body size: 45mm H \* 40mm W \* 20mm T  
6mm diameter nylon shackle with 76mm clearance
2. Designed exclusively for safety lockout and tagout application
3. Compact, durable, lightweight, non-conductive, anti-magnetic and explosion proof nylon body can be resistant of impact, most corrosion, chemical, extreme temperatures and UV
4. Special design prevents electrical current from shackle to key
5. Key retaining ensure that padlock is not left unlocked
6. Comes with permanent write-on labels in English
7. 6 pin tumbler cylinder with different key systems-keyed different, alike and master keyed
8. 8 high visible colors (RED, ORJ, YEL, GRN, BLU, BLK, PRP, BRN) are available and can also be customized



## Stainless steel shackle padlock




L	H	W	T	E	D	
38	45	40	20	20	6	
38	45	40	20	20	6	
38	45	40	20	20	6	
38	45	40	20	20	6	

Model	Item
His-591	Keyed to differ, short shackle
His-592	Keyed to Alike, short shackle
His-593	Master& Differ, short shackle
His-594	Master& Alike, short shackle

### Description

1. Nylon Body size: 45mm H \* 40mm W \* 20mm T  
6mm diameter 316 grade stainless steel shackle with 38mm clearance
2. Designed exclusively for safety lockout and tagout application
3. Compact, durable, lightweight, non-conductive nylon body and stainless steel shackle can be resistant of impact, most corrosion, chemical, extreme temperatures and UV and ideal in coastal areas
4. Special design prevents electrical current from shackle to key
5. Key retaining ensure that padlock is not left unlocked
6. Comes with permanent write-on labels in English
7. 6 pin tumbler cylinder with different key systems-keyed different, alike and master keyed
8. 8 high visible colors (RED, ORJ, YEL,GRN, BLU, BLK, PRP, BRN) are available and can also be customized

## Slim stainless steel shackle safety padlock




Model	Item
His-5s11	Keyed to differ, short shackle
His-5s12	Keyed to Alike, short shackle
His-5s13	Master& Differ, short shackle
His-5s14	Master& Alike, short shackle

### Description

1. Nylon Body size: 45mm H \* 34.5mm W \* 20mm T  
4.5mm diameter 316 grade stainless steel shackle with 38mm clearance
2. Designed exclusively for safety lockout and tagout application
3. Compact, durable, lightweight, non-conductive nylon body and stainless steel shackle can be resistant of impact, most corrosion, chemical, extreme temperatures and UV and ideal in coastal areas
4. Special design prevents electrical current from shackle to key
5. Key retaining ensure that padlock is not left unlocked
6. Comes with permanent write-on labels in English
7. 6 pin tumbler cylinder with different key systems-keyed different, alike and master keyed

- 8 high visible colors (RED, ORJ, YEL,GRN, BLU, BLK, PRP, BRN) are available and can also be customized

slim insulated shackle safety padlock




Model	Item
His-5s31	Keyed to differ, short shackle
His-5s32	Keyed to Alike, short shackle
His-5s33	Master& Differ, short shackle
His-5s34	Master& Alike, short shackle

Description

- Nylon Body size: 45mm H \* 34.5mm W \* 20mm T  
4.5mm diameter nylon shackle with 38mm clearance
- Designed exclusively for safety lockout and tagout application
- Compact, durable, lightweight, non-conductive, anti-magnetic and explosion proof nylon body can be resistant of impact, most corrosion, chemical, extreme temperatures and UV
- Special design prevents electrical current from shackle to key
- Key retaining ensure that padlock is not left unlocked
- Comes with permanent write-on labels in English
- 6 pin tumbler cylinder with different key systems-keyed different, alike and master keyed
- 8 high visible colors (RED, ORJ, YEL,GRN, BLU, BLK, PRP, BRN) are available and can also be customized

## Aluminum safety padlock



Model	Item
His-5v1	Keyed to differ, short shackle
His-5v2	Keyed to Alike, short shackle
His-5v3	Master& Differ, short shackle
His-5v4	Master& Alike, short shackle

### Description

1. Nylon Body size: 45mm H \* 40mm W \* 20mm T  
6mm diameter aluminum shackle with 38mm clearance
2. Designed exclusively for safety lockout and tagout application
3. Compact, durable, lightweight, non-conductive nylon body and stainless steel shackle can be anti-static and resistant of impact, most corrosion, chemical, extreme temperatures
4. Special design prevents electrical current from shackle to key
5. Key retaining ensure that padlock is not left unlocked
6. Comes with permanent write-on labels in English
7. 6 pin tumbler cylinder with different key systems-keyed different, alike and master keyed
8. 8 high visible colors (RED, ORJ, YEL,GRN, BLU, BLK, PRP, BRN) are available and can also be customized

Electric lockout (E series)

Miniature circuit breaker lockout



Model	Description	Packaging
His-111	Fits breakers with toggle openings 11mm or less	1pc/box
His-112	Fits breakers with toggle openings 20 mm or less	1pc/box


Anti-skid side with better feeling

Stainless steel pin is corrosion resistant

8mm diameter lockout hole can be applied with various hasp to achieve multiple people lockout management.

Exquisite workmanship, small size with max length 5.8cm

Easy to use and locks out breakers effectively



### Miniature circuit breaker lockout (Pin inward)



Model	Description	Packaging
His-113	Fits breakers with lockout holes outside the switch	1pc/box


#### Features:

Made of nylon, durable and compact

Fits openings up to 11mm between lockout holes

7mm diameter lockout hole accommodates most padlocks

### Universal mini circuit breaker lockout



Locks almost all miniature circuit breakers

Thumb turn dial screw for easy attachment –no tools required.

Flat screw can reduce the damage on breaker toggle to the least

Padlock can be applied horizontally or vertically

Can be mounted side-by side on adjacent miniature circuit breakers

Durable nylon material is chemical resistant and performs well in extreme environments.

Model	Description	Packaging
His-115	Universal miniature circuit breaker lockout	1pc/box

### Circuit Breaker Lockout (Patent Design)



### (Patent product)

Model	Description	Packaging
His-121	Fits 1~15 mm thick toggle switch up to 23mm wide	1pc/box

#### Features:

It's made of impact modified ABS plastic with great insulation performance.

Easy to lock out breakers by thumbscrew, no screwdriver needed.

Accepts padlock diameter up to 7.5mm or similar hasp for multiple personnel lockout

Blade design with improved grip works on most breakers

Model	Description	Packaging
-------	-------------	-----------

His-122	Fits 4~22mm thick toggle switch up	1pc/box
---------	------------------------------------	---------

Features:

Made of impact engineering plastic and alloy and can lockout breaker in on or off states.

No limits for breaker switches' toggle width

Easy to lock out breakers by thumbscrew, no screwdriver needed.

Accepts padlock diameter up to 7.5mm or similar hasp for multiple personnel lockout

Circuit breaker lockout(medium size)(NEW product)



Product No.	Description
His-121-A	Suitable for medium and large size circuit breakers


Made from engineering plastic and stainless steel for rugged durability and impact resistance

Lockout range: breaker handle thickness  $\leq 16\text{mm}$ , width  $\leq 48\text{mm}$

The lockout can accept a padlock with shackle diameter up to 7.5mm

Switch group lockout






Model	Description	Packaging
His-123	Suitable for locking out large and odd size circuit breaker switches.	1pc/box

The backside of this products comes with double-sided adhesive. It's easy and convenient to be fixed.

Red lever indicates that the switch is in off state and the green lever indicates that the switch is on state.

## (Patent product)

### Emergency stop lockout



Model	Description	Packaging
His-131	Fits 17~ 23 mm diameter switch (installation diameter: 16mm)	1pc/box
His-132	Fits 27~ 32 mm diameter switch (installation diameter: 22mm)	1pc/box
His-133	Fits 32~ 35 mm diameter switch (installation diameter: 30mm)	1pc/box

Patent design. Fast and convenient install and remove without any help of glue or screw driver

Adjustable lockout diameter with wide range of application

High transparent ABS cover allow visibility of nameplate and labels

clockwise rotate the plastic base to easily fasten the button, put on the cover and then apply a padlock for security

304 stainless steel teeth chassis is applied together with fiber glass plastic base to provide firm gripping and locking. In this way does enhance its anti-climate characteristics and life span

(Patent product)

Free tear type emergency stop lockout



Model	Description	Package
His-134	Fits 27~32mm diameter push buttons and round switch knobs (installation diameter: 22mm)	1pc/box

Patent design.

Prohibit access to an emergency stop button

No need to dismantle any part and easy to install and remove

Ideal used when push button cannot be removed

High transparent ABS cover allow visibility of nameplate and labels

Cover size: 62mm diameter and 54mm tall suitable for most switches

304 stainless steel teeth chassis is applied together with fiber glass plastic base to provide firm gripping and locking. In this way does enhance its anti-climate characteristics and life span

Economical emergency stop lockout



Features:

It's made of transparent glass resin, compact, economical and practical.

Ideal used where there is confined space around button or plan to lockout the equipment permanently

Easily applied to prevent access to push buttons.

Model	Description	Packaging
His-135	22mm push button lockout cover	6pcs/box
His-136	30mm push button lockout cover	6pcs/box

### fast emergency stop lockout



#### Feature:

Set limited access to a switch or push button

Including one cover and one install base

accommodate buttons up to 43mm diameter and 54mm tall

transparent base and cover permit visibility of nameplate and labels

best used for those buttons which cannot be dismantled or are in odd sizes

Attach the base on the surface by glue first, put on the cover and then apply a padlock.

Model	Description	Packaging
His-137	22mm diameter	6pcs/box

### Universal rotary Switch Lockout



Description: This lockout is easy to install and store. It can be applied without dismantling switch and any help of tools. Made by transparent plastic, it allows visibility to the inside switch.

Cover size: 80mm diameter, 40mm tall, 20mm diameter center hole

Model	Description	Packaging
His-141	Fits for almost all kinds of rotary switches	1pc/box

### Wall switch lockout



Material: transparent PC, insulation

Dimension: 93\*93\*30mm

Lockout diameter for padlocks: 8mm

Model	Description	Packaging
His-171	Fits for Chinese wall mount switches	1pc/box

### Electrical Plug Lockout



- 1 Made of engineering plastic, tough, durable, dielectric and impact resistant
2. Applied to prevent plugs from accidental connection
3. Finished with high visibility permanent safety label in English
4. E81: 10cm(height)\*6.1cm(diameter ), 12.5mm diameter hole for cable  
E82: 18cm(height)\* 8.3cm(diameter), 25mm diameter hole for cable

Model	Description	Packaging
His-181	Designed for small electrical plugs	1pc/box
His-182	Designed for large electrical plugs	1pc/box

### Crane controller lockout bag




- High visible red lockout bag is made of wear and tear resistant waterproof fabric.
- Flexible and durable bag can be easily put in safety tool box
- Legend: LOCKED OUT DO NOT REMOVE in bilingual language
- Insert PVC tubing prevents access to controller button
- Allow up to 3 padlocks or hasps for security

Size: 220mm (width) \* 450mm (height)

Model	Description	Packaging
His-191	Ideal for Crane controller and other odd or oversized connectors and plugs	Individual packaging

## Valve lockouts (V series)

### Ball valve lockout



1. It's made of improved polypropylene and can withstand ultra high/low temperature
2. Removable insert allows for a wide range of handle designs and dimensions
3. 4 lock holes accept padlocks for security fit

For His-211, ball valve lockout locks pipes 1.3~6.4cm in diameter in off position and 1.3~4cm in diameter in on position

For His-212, ball valve lockout locks pipes 5.0~20.0cm in diameter in off position

Model	Description	Packaging
His-211	Small ball valve lockout	2pcs/box
His-212	Large ball valve lockout	2pcs/box


### Universal Ball Valve lockout with Single Blocking Arm



- 1 industrial grade stainless steel and engineering material allow for extra impact and chemical resistance
- 2 side opening design is easy to use
- 3 universal ball valve lockout accommodate most ball valves in the market
- 4 Max handle width 45mm, thickness 28.5mm, shackle diameter 8mm
- 5 inserted steel plate in blocking arm features excellent impact
- 6 lock out ball valves in on or off positions

Model	Description	Package
His-213	Universal Ball Valve lockout with Single Blocking Arm	2pcs/box

Universal Ball Valve Lockout with Double Blocking Arms



- 1 industrial grade stainless steel and engineering material allow for extra impact and chemical resistance
- 2 side opening design is easy to use
- 3 universal ball valve lockout accommodate most ball valves in the market
- 4 Max handle width 45mm, thickness 28.5mm, shackle diameter 8mm
- 5 inserted steel plate in blocking arm features excellent impact
- 6 lock out ball valves in any positions to control flow volume.
- 7 Ideal for two sides locking out

Model	Description	Package
His-214	Universal Ball Valve Lockout with Double Blocking Arms	2pcs/box

### Universal Valve lockout w steel cable and blocking arm



- 1 industrial grade stainless steel and engineering material allow for extra impact and chemical resistance
- 2 side opening design is easy to use
- 3 universal ball valve lockout accommodate most ball valves in the market
- 4 Max handle width 45mm, thickness 28.5mm, shackle diameter 8mm
- 5 inserted steel plate in blocking arm features excellent impact



6 lock out gate valve, ball valve and butterfly valves

7 equipped with 3mm diameter and 2m length non-conductive steel cable

8 Special design makes it easy to let cable in and out

Model	Description	Package
His-215	Universal Valve lockout w steel cable and blocking arm, suitable for gate, ball and butterfly valves	2pcs/box

### Wedge style ball valve lockout



### Specification

Compact size is easy to carry and store

Power coated metal body performs effectively in acid alkali corrosion environment.

Easy to use single piece design to lockout ball valve handles in off state

Model	Description	Package
His-216	Fit less than 1 inch ball valve in off position	5pcs/box
His-217	Fit less than 3 inch ball valve in off position	5pcs/box

New ball valve lockout (Patent Design)



Feature:

Made of engineering plastic and alloy material,

Light weight and compact in size, easy to carry and store

It's ideal for less than 2 inch ball valve lockout in limited space and can also lock out less than 1 inch ball valve in on state

Model	Description	Package
His-218	New ball valve lockout Fit for less than 2 inch ball valve lockout	1pc/box

New Universal butterfly valve lockout



Universal butterfly valve lockout is a new design, light weight and compact in size.

It's the smallest butterfly valve lockout in the market so far.

lock out butterfly valve handle thickness range from 5mm to 25mm

side opening design makes it more flexible

Rugged "teeth" design ensures of firm locking

Model	Description	Package
His-221	New butterfly valve lockout suitable for valve handle thickness from 5 to 25mm	1pcs/box

### Large Universal butterfly valve lockout



1 industrial grade stainless steel and engineering material allow for extra impact and chemical resistance

2 side opening design is easy to use


3 lock out handle thickness between 25mm and 55mm

4 Ideal for large butterfly valves

Model	Description	Package
His-222	Fit for locking large butterfly valve, locking handle thickness range from 25 to 55mm	4pcs/box

## (Patent product)

### Sanitary butterfly valve lockout



#### Specification

Patented product, designed specifically for the sanitary butterfly valves

It's made of engineering plastic and alloy, featuring in strong corrosion-resistance and never rust

Accommodate most valves, ideal for locking out 5~25mm diameter handle

Special V-jaws increase more touch point and clamp firmly against the round handle

Come with 20cm length cable in standards. It can be also customized.

Model	Description	Package
His-223	The sanitary butterfly valve lockout commonly used in the food and pharmaceutical industries , locking out 5-25mm handle diameter	1pcs/box

### Gate valve lockout



#### Specification

Each size can be nested into the next larger size to save space in safety tool box

Be made from industrial polypropylene. Temperature resistance, anti-corrosion ability to adapt to a variety of harsh environments

There are a variety of sizes to choose

With warning labels, economical and practical

Model	Description	Package
His-231	Fit for the stem diameter of the gate valve 25-75mm	5pcs/box
His-232	Fit for the stem diameter of the gate valve 64-127mm	1pcs/box
His-233	Fit for the stem diameter of the gate valve 127-165mm	1pcs/box
His-234	Fit for the stem diameter of the gate valve 165-254mm	1pcs/box
His-235	Fit for the stem diameter of the gate valve 254-330mm	1pcs/box

### Adjustable Gate valve lockout



### Specification

Made of tuff ABS engineering plastic with great resistance to corrosion and impact

Center knockout can be removed for rising stem gate valve


Complete with warning labels

Legend " Danger Lockout out Do not remove"

Model	Description	Package
His-236	Fit 25-165mm diameter valve	1pcs/box

(Patent product)

Plug Valve Lockout



Specification

Manual locking without using extra tools, quickly and easily

Unique design. Locking out the *square and round valve stem*

Compact size, light weight and wide locking range from 10mm to 50mm

It composes of glass fiber nylon cover and stainless steel parts. Abrasion resistant, withstand high and low temperature and harsh environment

Model	Description	Package
His-241	Fit for lock on ball valve whose handle cab be took off	1pcs/box

Pneumatic Lockout



### Specification

Prevents pneumatic device from being reconnected to high pressurized air supply and fits nearly all male pneumatic fittings

Made of stainless steel, anti-rust and corrosion resistant.

Easy to carry and easy to store.

Size: 35mm wide x196mm length x3mm thickness

Works with lockout hasp for multiple worker lockout

Accept up to 4 padlocks or hasps

Model	Description	Package
His-251	Pneumatic Lockout for male pneumatic fittings	10pcs/box

### Pressurized gas cylinder valve lockout



### Specification

Made of ABS engineering plastics, anti-impact and chemical pollution resistant

Surround the gas valve handle to prevent unauthorized valve opening

Lock out the valve rod diameter up to 35mm, Cover size: 75mm diameter, 32mm tall

Accept padlock shackle diameter up to 10mm

Model	Description	Package
His-261	Suitable for locking high pressure cylinder valve, preventing accidental opening	5pcs/box

### Lockout hasps (H series)

#### Steel lockout hasp



### Specification

Heavy duty steel jaw with curved PP handle

Lockout by up to 6 workers at each lockout point

Equipment cannot be operated until last worker's padlock is removed from hasp

Inner jaw diameter is 25.4mm and 38mm for H11 and H12 respectively



Model	Description	Package
His-311	1 inch steel jaw lockout hasp with 6 lockout points	20pcs/box
His-312	1.5 inch steel jaw lockout hasp with 6 lockout points	20pcs/box

### Steel lockout hasp with interlocking jaw



#### Specification

Made by hardened steel with corrosion resistant plating layer

Heavy duty pry proof steel jaw with injection molded PP handle

Lockout by up to 6 workers at each lockout point

Equipment cannot be operated until last worker's padlock is removed from hasp

9.5mm diameter lockout hole can accept most safety padlocks

Inner jaw diameter is 25.4mm and 38mm for H13 and H14 respectively

Model	Description	Package
His-313	1 inch pry proof steel jaw lockout hasp with 6 lockout points	20pcs/box
His-314	1.5 inch pry proof steel jaw lockout hasp with 6 lockout points	20pcs/box

### Spark resistant aluminum lockout hasp



### Specification

Durable, spark proof and anti-static lockout hasp with 304 grade stainless steel made rivet and spacer-never rusted

Lockout by up to 6 workers at each lockout point

Plastic handle is injection finished with excellent quality

Equipment cannot be operated until last worker's padlock is removed from hasp

9.5mm diameter lockout hole can accept most safety padlocks

Inner jaw diameter is 25.4mm and 38mm for H15 and H16 respectively

Model	Description	Package
His-315	6 hole aluminum lockout hasp with 1 inch jaw	20pcs/box
His-316	6 hole aluminum lockout hasp with 1.5 inch jaw	20pcs/box

### Heavy duty pry proof lockout hasp



### Specification

Heavy duty pry proof steel; 6mm shackle diameter, 27mm vertical clearance

Lockout the equipment by multiple workers at the same time and accept up to 6 padlocks

Hinge style construction is easy to use

Model	Description	Package
His-321	Heavy duty lockout hasp	10pcs/box

### Insulation Nylon lockout hasp



### Specification

Made by resilient nylon, extraordinary electrical insulating features

One piece molded construction avoids cracking

Hasp holds up to 6 locks and have 9mm diameter lock holes

6mm and 3mm diameter hasp shackles are available

Model	Description	Package
His-331	Nonconductive nylon hasp with 6mm diameter shackle	1pcs/box
His-331A	Nonconductive nylon hasp with 3mm diameter shackle	1pcs/box

### Labeled Aluminum lockout hasp



**Specification**

Lockout tag and safety hasp combo, tough anodized aluminum and stainless steel construction with strong corrosion resistance

Accommodate group lockout as up to 8 persons can apply their individual padlocks

Both sides feature write-on labels accepting pens or pencil or permanent marker. Erasable markings allow for recycle use.

Multiple colors can be customized

Model	Description	Package
His-341	Aluminum lockout hasp with 8 lockout holes	10pcs/box

Safety cable lock (C series)

(Patent product)

New type multiple purpose cable lockout



Specification

Lock is made by nylon and inside by stainless steel materials


Lockout cable includes 3mm diameter 2m length 304 grade stainless steel cable with plastic coating

Excessive cables can be coiled inside with build-in cable loop to avoid dangling loose when device is in use or storage

3 lock holes in handle accept most lock shackles and hasps

Model	Description	Package
His-411	New type multiple purpose cable lockout with cable diameter 3mm, length 2m	1pcs/box

Economy cable lockout with 1.8m cable



Specification

Cable lockout can flexibly and effectively lock out source energy.

Economy cable lockout includes 1.8m stainless steel cables with plastic coating.

Curved sides features good hand feeling and protection for cables

Sixes 8.5mm diameter lockout holes in handle accommodate most padlock shackles

Unique rivet design can avoid sharp parts damage on hands

Model	Description	Package
His-412	Economy cable lockout with 1.8m cable	1pcs/box


Cable lockout with inserted cylinder



1. Patent design in configuration and appearance
2. Inserted cylinder cable lockout can be used as padlocks also, economical and convenient. No need to apply extra padlocks
3. Come with 3mm dia and 2M length cables that can go through small lockout point and confined space
4. When using you can tighten the cable to lock it out more firmly
5. One form construction , durable
6. 33\*56mm warning label on both sides (custom)

Model	Description	Package
His-413	Cable lockout with inserted cylinder; can be used for locking out valves and as padlocks also	1pcs/box

Mini cable lock with 1.8m cable in red



### Specification

Effectively lock out gates valves, "T" valve handles, electrical disconnects and so on.

High visible compact and economical devices can be easily applied and stored

Comes with 1.8m length and 3mm diameter insulation steel cable. Separate sold 2m length 5mm diameter cable can be exchanged manually

Durable fiberglass nylon lock body features strong anti-abrasion and long lifespan

Model	Description	Package
His-414	Versatile mini lockout cable with 3mm dia and 1.8m L	1pcs/box

### Double looped lockout cables



### Specification

Plastic coated steel cable, 5mm diameter and 2m custom length with stretching resistance

Provide flexible locking with lighter weight than ordinary chain locks

Model	Description	Package
His-421	Double looped lockout cable, diameter 5mm, length 2m.	1pcs/box

### Combination Management Station (S series)

#### Heavy duty padlock Hanger



### Features

Be made of heavy duty cable steel, baking finish with bright and smooth surface.

Legend is printed by silkscreen

Product No.	Product Name	Dimension
His-611	6 padlock hangers	160mm(wide) *80mm(tall) *40mm(deep)
His-612	12 padlock hanger	304mm(wide) *80mm(tall) *40mm(deep)
His-613	18 padlock hanger	456mm(wide) *80mm(tall) *40mm(deep)
His-614	24 padlock hanger	608mm(wide) *80mm(tall) *40mm(deep)

### Metal Lockout Cabinet







### Features

Our metal lockout cabinet is made by carbon steel with yellow power coating and comes with two adjustable shelves. Extra shelf is sold separately. Predrilled four holds in the back is for easier wall mounting. Equipped with a handle, it's portable to any required place.

Slots inside the cabinet allows for shelf adjustment to utilize the space and hold different sizes of locks.

It's ideal for storing large lockout equipments.

Colors can be customized according to customers' needs.

Dimension: 410mm\*360mm\*150mm

Product No.	Description	Package
His-621	Metal lockout cabinet for locks management. Dual application: wall mounted and portable	Single
His-621A	Empty Metal lockout cabinet with clear window	Single



### Features

Our metal lockout cabinet is made by carbon steel with yellow power coating and comes with two adjustable shelves. Extra shelf is sold separately. Predrilled four holds in the back is for easier wall mounting. Equipped with a handle, it's portable to any required place.

Slots inside the cabinet allows for shelf adjustment to utilize the space and hold different sizes of locks.

Come with 2 slots and 10 padlocks hooks

It's ideal for storing large lockout equipment.

Colors can be customized according to customers' needs.

Dimension: 520mm\*150mm\*660mm

Product No.	Description	Package
His-621B	Empty Metal lockout cabinet with two slot and transparent window	Single

### Metal Combination Lockout Station



## Features

Our combination lockout station is a group center for lockout tools. In standards, it is capable of holding up to 12 padlocks and other large lockout locks.

Transparent window prevents contents from dust and have you view the content from outside

The lockout station is made of high visible yellow power coated metal and high quality clear organic board.

Red plastic hook is resilient and can reduce abrasion damage on lock shackle to the least.

Dimension: 500mmx360x150mm

Product No.	Description	Package
His-622	Metal Combination Lockout Station with clear window can realize locks management by accommodating 12pcs padlocks and various lockouts.	Single



1. inserted rail can accommodate 20pcs padlocks
2. 120mm length hooks can hold various large locks
3. there are 4 storage cabinet s for holding different types of locks
4. Dimension: 550mm\*140mm\*700mm
5. Transparent window allow for clear view of inside locks
6. Made by carbon steel with yellow coating ( color custom)

Product No.	Description	Package
His-622A	Empty Metal Combination Lockout Station with clear window can realize locks management by accommodating 20pcs padlocks and various lockouts.	Single



1. Dual application: wall mount or portable
2. three capacities for choose to capture and manage all kinds of keys
3. made by durable light carbon steel material with exquisite craftsmanship
4. come with corresponding key cards for easy identification. Name or serial no can be wrote on them.
5. Widely used in hotel, hospital, school etc.

Product No.	Description
His-623	32 key cabinet Size: 250mm*200mm*80mm
His-624	52 key cabinet Size: 300mm*230mm*80mm
His-625	100 key cabinet Size: 300mm*230mm*80mm

### Electrical lockout and tagout kit



#### Features

Our electrical lockout kits provide you necessary tools to lockout circuit breakers, push button etc.

The kit includes: Insulation padlock(His-531) 3pcs, Mini circuit breaker lockout(His-111) 1pc, Mini circuit breaker lockout(His-112) 1pc, Circuit breaker lockout (His-121)

1pc, Circuit breaker lockout(His-122) 1pc, Electric switch lockout(His-131) 1pc, Hasp lock(His-311) 1pc, Tag (His-T11) 12pcs, Tie 12pcs, Bag(His-631A) 1pc.

Product No.	Description	Package
His-631	Locking out for electric switch, includes normal electric switch lockouts.	Single
His-631A	Empty tool bags without lock out kits It can be hand carried or put on shoulder	Single

### lockout and tagout valve kit



#### Features

Our lockout and tagout valve kit gives you basic tools to lockout ball, gate, butterfly and other valves.

The kit includes: Safety padlock(His-511) 3pcs, Adjustable gate valve lockout(His-236) 1pc, Ball valve lock(Small His-211) 1pc, Universal butterfly valve lock(His-221) 1pc, Cable lock(His-411) 1pc, Hasp (His-311) 1pc, Tag(His-T11) 12pcs, Tie 12pcs, Bag (His-632A) 1pc.

Product No.	Description	Package
His-632	Locking out for valve switch, includes normal valve switch lockouts.	Single
His-632A	Empty tool bags without lock out kits It can be hand carried or put on shoulder	Single

## Combination lockout and tagout box



### Features

Our combination lockout and tagout box supply most electrical and valve lockout tools.

The kit includes: Insulation padlock(His-531) 3pcs, Safety padlock(His-511) 3pcs, Mini circuit breaker lockout(His-111) 1pc, Mini circuit breaker lockout His-112) 1pc, Circuit breaker lockout(His-122) 1pc, Electric switch lockout(His-131) 1pc, Hasp lock(His-311) 1pc, Adjustable gate valve lockout(His-236) 1pc, Ball valve lockout(His-211) 1pc, Universal butterfly valve lockout(His-221) 1pc, Cable lock(His-411) 1pc, Tag(His-T11) 12pcs, Tie 24pcs, Box(His-633A) 1pc.

Product No.	Description	Package
His-633	Portable combination lock box, includes normal electrical and valve locks.	Single
His-633A	Durable and portable combination lock box unfilled  Made by PP plastic	Single

## Lockout kits-personal lockout pouch



Description: Personal lockout pouch is perfect for electrical equipment lockout or customize your own tools. It's portable or carried on waist for convenient usage.

Item: Individual safety kit with locks

Model:His-634

kits components include:

2pcs padlocks His-511 His-531

1pcs circuit breaker lockout His-121

1 pcs miniature circuit breaker lockout His-115

1pcs emergency stop lockout His-132

1pcs lockout hasp His-311

4pcs tagouts His-T11

4pcs cable ties

His-634A

Description: Individual safety lockout kit pouch is portable, can hang on waist.

Item: Individual safety kit pouch unfilled

Model:His-634A

It's unfilled safety kit pouch with 2 compartment.

Product No.	Description	Package
His-634	Personal lockout pouch with accessories	Single
His-634A	Personal lockout pouch unfilled	Single

### Lockout tagout kits- 4 lock board



#### Features

Our economy lock board helps to keep the right devices in the right place for easier access. It can hold padlocks, hasp, tags etc. Tag holders and plastic hooks can be dismantled for exchange and also avoid damage on board in transportation process.

Made by mirror acrylic, it features anti-aging characteristic and high visible color with durable silk screen legend

Plastic hooks reduce the abrasion on padlock shackle to the least.


Comply with OSHA safety lockout and tagout standards



Dimension: 230mm(width) \* 330mm(height) \* 5mm(thickness).

Product No.	Description	Package
His-641	Wall mounted lock station, standard equipped with 4 padlocks, 3 hasp locks, 12 tags.	Single
His-642	Wall mounted lock station board without locks and tags	Single

### Lockout tagout kits- 10 lock board



#### Features

Our economy lock board helps to keep the right devices in the right place for easier access. It can hold padlocks, hasp, tags etc. Tag holders and plastic hooks can be dismantled for exchange and also avoid damage on board in transportation process.

Made by mirror acrylic, it features anti-aging characteristic and high visible color with durable silk screen legend

Plastic hooks reduce the abrasion on padlock shackle to the least.

Comply with OSHA safety lockout and tagout standards

Dimension: 320mm(width) \*490mm(height)\*5mm(thickness).

Product No.	Description	Package
His-651	Wall mounted lock station, standard equipped with 10 padlocks, 3 hasp locks, 12 tags.	Single
His-652	Wall mounted lock station board without locks and tags	Single

## Lock station of 20 locks



### Features

Our economy lock board helps to keep the right devices in the right place for easier access. It can hold padlocks, hasp, tags etc. Tag holders and plastic hooks can be dismantled for exchange and also avoid damage on board in transportation process.

Made by mirror acrylic, it features anti-aging characteristic and high visible color with durable silk screen legend


Plastic hooks reduce the abrasion on padlock shackle to the least.

Comply with OSHA safety lockout and tagout standards

Dimension: 536mm(width) \*490mm(height)\*5mm(thickness).

Product No.	Description	Package
His-661	Wall mounted lock station, standard equipped with 20 padlocks, 6 hasp locks, 24 tags.	Single
His-662	Wall mounted lock station board without locks and tags	Single

## Lock station of 36 locks



### Features

Our economy lock board helps to keep the right devices in the right place for easier access. It can hold padlocks, hasp, tags etc. Tag holders and plastic hooks can be dismantled for exchange and also avoid damage on board in transportation process.

Made by mirror acrylic, it features anti-aging characteristic and high visible color with durable silk screen legend

Plastic hooks reduce the abrasion on padlock shackle to the least.

Comply with OSHA safety lockout and tagout standards

Dimension: 638mm(width) \* 625mm(height) \* 5mm(thickness).

Product No.	Description	Package
His-671	Wall mounted lock station, standard equipped with 36 padlocks, 6 hasp locks, 36 tags.	Single
His-672	Wall mounted lock station board without locks and tags	Single

## Lock Station of 4 locks with cover



The lockout station is made of high visible yellow power coated metal and transparent dust proof board.

It complies with OSHA safety lockout and tagout standards.

Four predrilled holes in the back are for easier and firmer wall mounting

Plastic hook is freely dismantled for maintenance and can protect padlocks from scratch

Dimension: 260mm \* 100mm \* 350mm

Kit components include:

4pcs safety padlocks His-511

3pcs lockout hasp His-311

12pcs safety tags His-T11

Product No.	Description	Package
His-641A	Lockout station box with 4 padlocks, 3 hasp locks, 12 tags.	Single
His-642A	Unfilled lockout station box	Single

Lock station of 10 locks with cover



### Features

The lockout station is made of high visible yellow power coated metal and transparent dust proof board.

It complies with OSHA safety lockout and tagout standards.

Four predrilled holes in the back are for easier and firmer wall mounting

Plastic hook is freely dismantled for maintenance and can protect padlocks from scratch

Dimension: 320mm \* 100mm \* 500mm

Kit components include:

10pcs safety padlocks His-511

3pcs lockout hasp His-311

24pcs safety tags His-T11

Product No.	Description	Package
His-651A	Lockout station box with 10 padlocks, 3 hasp locks, 24 tags.	Single
His-652A	Unfilled lockout station box	Single

Lock station of 20 locks with cover



### Features

The lockout station is made of high visible yellow power coated metal and transparent dust proof board.

It complies with OSHA safety lockout and tagout standards.

Four predrilled holes in the back are for easier and firmer wall mounting

Plastic hook is freely dismantled for maintenance and can protect padlocks from scratch

Dimension: 480mm \* 100mm \* 580mm

Kit components include:


20pcs safety padlocks His-511

3pcs lockout hasp His-311

24pcs safety tags His-T11

Product No.	Description	Package
His-661A	Lockout station box with 20 padlocks, 6 hasp locks, 24 tags.	Single
His-662A	Unfilled lockout station box	Single

## Lockout station



Product No.	Description
His-6L1	Fit 6pcs padlocks, 6pcs lockout hasps, 12pcs tags and other large lockouts
His-6L2	Fit 11pcs padlocks and other large lockouts
His-6L3	Fit 15pcs padlocks, 6pcs lockout hasps, 12pcs tags and other large lockouts
His-6L4	Fit 28pcs padlocks and other large lockouts
His-6L5	Portable lockout stations hold locks in different layers to utilize space, ideal for large size lockouts

Made of high quality engineering plastic, durable and impact resistant

Used to store and keep lockouts in order, easy for maintenance, cleaning

Size: 340mm \* 160mm \* 415mm

Adjustable internal construction with lockable cover-7.5mm diameter lockout hole

Dual application: Wall mounted or portable (optional handle available)

## New Lockout Stations (New Products)





His-641B



His-642B



His-651B



His-652B



His-661B



His-662B

Product No.	Description	Package
HIS-641B(with locks)	can accept 4nos padlocks, 3nos lockout hasps, and 12nos warning tags	1pcs/bag
HIS-642B(without locks)	can accept 4nos padlocks, 3nos lockout hasps, and 12nos warning tags	1pcs/bag
HIS-651B(with locks)	can accept 10nos padlocks, 3nos lockout hasps, and 12nos warning tags	1pcs/bag
HIS-652B(without locks)	can accept 10nos padlocks, 3nos lockout hasps, and 12nos warning tags	1pcs/bag
HIS-661B(with locks)	can accept 20nos padlocks, 6nos lockout hasps, and 24nos warning tags	1pcs/bag
HIS-662B(without locks)	can accept 20nos padlocks, 6nos lockout hasps, and 24nos warning tags	1pcs/bag

Features:

- Overall dimensions: HIS-641B/ HIS-642B: 238 (L) \* 75 (W) \* 400(H) MM  
HIS-651B/ HIS-652B: 288 (L) \* 75 (W) \* 534.5 (H) MM  
HIS-661B/ HIS-662B: 467 (L) \* 75 (W) \* 621.5 (H) MM
- Horizontally open and close the door, more in line with daily habits
- Full transparent door, high-grade and beautiful appearance, can be locked management, lockout hole diameter: 10mm
- Large hook spacing makes it more convenient to access
- The main body is made of high-quality engineering plastics with one molding and special strengthening of structural design. Much more durable.

## Tagout Center



### Description:

The safety tag station is designed to hold tags in a easy-to-find place for central management. It's made of extra thick acrylic and comes with 10 tag holders. Each holders accommodate 12 tags, capacity 120 tags. All can be customized.

Tag holders and board are fastened by screw, easier for maintenance and cleaning

Four predrilled holes are for wall mounting

Silk screen legend can be used for years

Product No.	Description	Package
His-681	Tagout stations with 10 tag holders	Single

## Mobile phone management center



Description: for lockout and storage of mobile phones, widely used in conference, expo etc.

Features:

1. Delicate, transparent, in high class of quality
2. 8 chambers in standards; overall dimension: 470mm \* 480mm\*5mm
3. Each chamber is independent from others and has its individual key and mark
4. Chamber size: 18cm (L) \* 10cm (W) \* 8cm (H). It can accommodate most mobile phones in different sizes
5. Mobile phones can be also connected with USB cable for charging when they're in locking or storage state
6. Customized size is available.

Product No.	Description	Package
His-682	Mobile phone management center	Single

Portable lockout station



Features

1. Used for accommodating various locks
2. Made by carbon steel with yellow coating
3. Transparent window allow for inside locks review
4. Dimension: 320mm\*60mm\*400mm
5. For His-691, it comes with 10pcs padlocks, 6pcs hasp, 12pcs tags.
6. For his-692, it's empty lockout box

Product No.	Description	Package
HIS-691(with locks)	Portable lockout station with 10pcs padlocks, 6pcs hasp, 12pcs tags.	1pcs/bag

HIS-692(without locks)	Empty portable lockout station than can accept 10nos padlocks, 6nos lockout hasps, and 12nos warning tags	1pcs/bag
------------------------	---	----------

### Lock box (B series)

#### Single hole lock box



#### Product Introduction

Single hole lock box is suitable for a plurality of power source, machinery or production process, which need more than one persons to lock out at same time. When all the members of the group lock out the power source, put the keys in the lock box, and then lock the box by the team leader. Until the work is complete and all members have left the work area, the lock box can be opened.

#### Features:

1. Fine carbon steel, strong and safety.
2. Baking varnish process, beautiful performance.
3. Dimension: 240\*100\*150mm.

Product No.	Description	Package
His-711	Portable group lock box	Single

#### Multiple holes lock box



### Description

It can simplify the lockout procedures of large equipment. When the machine and the production process are isolated, the keys are stored in the group lock box. Each member applies his own lock on the lock box, make sure that no one can open the lock box alone, only if all the members are present to open the lock box, takes out the key and open every lock point, to ensure the absolute safety.

### Features

7. Fine carbon steel, strong and safety.
8. Baking varnish process, beautiful appearance.
9. Dimension: 240x100x150mm

Multiple holes lock box can allows up to 13 persons locking at the same time. Unique cover structure ensures that the lid cannot be opened when any lock point is locked to realize the locking integrity.

Product No.	Description	Package
His-712	Portable group lock box.	Single

(Patent product)

Wall mounted and portable multiple holes lockout box



## Description

Each device lock point, can be locked by a single padlock to ensure safety, and take these keys in the lock box, then each authorized worker sets his own padlock on the box. When the work is completed, each authorized worker removes his own padlock from the lock box, then the box is open, the inside keys can be got.

## Features

1. Material: super resistance steel with spray powder.
2. Unique design, convenient and practical.
3. Dimension: 190\*90\*330mm.

Allows up to 14 persons to lock out; built-in 12 hooks provide at least 12 keys storage. Four predrilled holes for wall mounting and equipped with a handle, it can be carried to required places.

Product No.	Description	Package
His-713	Available in both wall mounted and portable, group control lock box.	Single

## Visible Multi-Hole Lockout Box



After the equipment to be worked on has been isolated from the energy source, the lockout keys are placed inside the multiple lockout kit and then workers applies their own unique padlock to the lockout kit.

Model: His-714

## Features:

1. Carbon Steel material with smooth and bright baking finish
2. Accommodate up to 13 padlocks on the lid for more security
3. Transparent side window allows for inner contents view
4. Box Size: 100\*200\*240mm

5. 7mm diameter lockout hole is suitable for most padlocks

Product No.	Description	Package
His-714	Visible Multi-Hole Lockout Box	Single

Metal wall mounted key lockout cabinet



Features:

1. Made by carbon steel with red coating
2. Transparent window allow for inside views
3. Dimension: 203mm\*57mm\*178mm (His-716 with 7 hooks)  
406mm\*57mm\*178mm (His-717 with 15 hooks)

Product No.	Description	Package
His-716	Small key lockout cabinet with 7 lockout points and hooks	Single
His-717	Large key lockout cabinet with 15lockout points and hooks	single





1. It can accommodate 6 keys and allow 5 persons to lock it out at the same time
2. Cabinet dimension: 200mm \*110mm\*50mm
3. Made by rigid steel and PC, durable
4. Transparent window allow for inside locks or keys view

Product No.	Description	Package
His-718	Small key lockout cabinet with 5 lockout points and 6 hooks	Single